MXG 438 EXTREME



Scotsman

Modular Ice Machine 190 kg

Item #:
Project:
Quantity:



FEATURES

- Individual transparent solid cube: each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.
- Global standard footprint: strictly follows international imperial standard commonly adopted in the industry of reference.
- Agion: the technology that makes products cleaner and longer lasting with built-in protection working 24/7 to resist the growth of microbes and the development of unpleasant odors.
- Electronic control: ambient and water temperatures may change throughout the years but your ice will stay the same.
- External indicator lights: keeps ice maker's operations under constant surveillance.
- Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.
- Clean alert: advises with a blink when it's time to clean the filter.



MXG L 438 Large Gourmet 39 g Ø 38 x H 41 mm



MXG M 438 Medium Gourmet 20 g Ø 30 x H 34 mm



MXG S 438 Small Gourmet 8 q Ø 21 x H 25 mm

CONDENSING	RECOMMENDED BINS						
SYSTEM	Head	Bins		kg			
Air cooled Water cooled		~	SB393	181			
		~	SB530	243			
	MXG 438	BINTOPMXGSB55	SB550	252			
REFRIGERANT GAS		•	UBH1600	812			
		•	SIS1350	613 + 73 + 73			

R404A R452A

VOLTAGE V/Hz/ph

230/50/1 230/60/1

LEGEND:

✓ : Perfect combination between ice maker and bin : Ice chute cut-out performed upon installation CBTxxxxxxxxx : need additional bin top

RTIFICATION **♦**WRAS agion



	Minimum	Maximum					
Air temperature	10	43					
Water temperature	5	38					
Water pressure	1 bar (14 psi)	5 bar (70 psi)					
Flectrical voltage	-10%	+10%					

OPERATING REQUIREMENTS

ORTANT NOTICE:

els and specifications are subject ge without notice. This spec sheet is meant for commercial purpose only. For technical documentation please refer to our service manuals. www.scotsman-ice.it www.scotsman-ice.com


MXG 438 EXTREME





Modular Ice Machine 190 kg

Item #: Project: Quantity:



UNIT DATA Size (W x D x H)

Net weight

773 x 705 x 721 mm 73 kg

SHIPPING DATA

Carton (W x D x H)

830 x 770 x 920 mm

Weight

85 kg

		24 h ice production kg °C Amb. / °C Water		Energy consumption (*)		Water usage (*)	Instant power	Compressor	Circuit wires	Max. fuse size	
		10°C/10°C	21°C/10°C	32°C/21°C	kWh/	Wh/ kWh/					
Version	Voltage kg kg kg	kg	100 kg 24h	l/h	W	W	No. x Ømm²	Α			
MXGL 438 AS	230/50/1	167	167	130	26.5	34.5	13.8	1750	5030	3 x 1.5	16
MXGL 438 WS	230/50/1	172	170	147	20.4	30.0	106.3	1400	5030	3 x 1.5	16
MXGM 438 AS	230/50/1	190	180	128	28.7	36.7	15.4	1850	5030	3 x 1.5	16
MXGM 438 WS	230/50/1	195	190	165	19.5	32.2	150.0	1400	5030	3 x 1.5	16
MXGS 438 AS	230/50/1	195	182	135	28.9	39.0	20.8	2000	5030	3 x 1.5	16
MXGS 438 WS	230/50/1	195	192	170	20.0	34.0	185.4	1400	5030	3 x 1.5	16
MXGL 438 AS	230/60/1	180	169	128	32.0	41.0	16.3	2000	5922	3 x 1.5	16
MXGM 438 AS	230/60/1	190	178	142	28.9	41.0	16.0	2000	5000	3 x 1.5	16
MXGM 438 WS	230/60/1	180	175	150	25.3	38.0	139.6	1700	5922	3 x 1.5	16
MXGS 438 AS	230/60/1	210	197	150	30.7	46.0	22.1	2300	5922	3 x 1.5	16
MXGS 438 WS	230/60/1	215	202	175	24.0	42.0	166.7	1700	5922	3 x 1.5	16

(*) Data refer to 32°C Amb. / 21°C Water temperature conditions